


Author Index of Volume 70

- | | | | |
|------------------------|-----------------------|--------------------------|----------------------|
| Akay, G., 133 | Grevillot, G., 71 | Machado, R.A.F., 1 | Savinov, E.N., 231 |
| Ale Ebrahim, H., 245 | Gupta, S.K., 25 | Mahfud, L., 85 | Schneider, P., 189 |
| Al-Mubaiyedh, U.A., 65 | | Malik, J., 179 | Shaikh, A.A., 65 |
| | Han, S., 9 | Marton, G., 71 | Shonglin, X., 81 |
| Bhumgara, Z.G., 133 | Hanák, L., 71 | Mazzarotta, B., 197, 203 | Simon, G., 71 |
| Bolzan, A., 1 | Hejtmánek, V., 189 | McKay, G., 115 | Šolcová, O., 189 |
| Bravi, M., 197, 203 | Ho, Y.S., 115 | Mujumdar, A.S., 209 | Szánya, T., 71 |
| Briançon, S., 55 | Hobbs, D.M., 93 | Muzzio, F.J., 93 | |
| | | | Tabiš, B., 179 |
| Čapek, P., 189 | Irabien, A., 237 | Nguyen, Q.D., 165 | Taraphdar, T., 15 |
| Chabot, J., 105 | | | Trägårdh, C., 37 |
| Cipriani, P., 157 | Jamshidi, E., 245 | Ortiz, I., 237 | |
| Colson, D., 55 | Jensen, C.T.B., 165 | | Vorontsov, A.V., 231 |
| | Jianping, W., 81 | Pal, R., 173 | |
| De Lasa, H., 105 | Jin, Y., 9 | Pant, K.K., 47 | Wakeman, R.J., 133 |
| | Jumah, R.Y., 209 | Patierno, O., 157 | Wang, Z., 9 |
| Farag, H., 105 | | Pochetti, F., 157 | Wehrer, A., 85 |
| Farley, E.J., 125 | Klein, J.P., 55 | | Wernersson, E.S., 37 |
| | Kristensen, P.G., 165 | Raghavan, G.S.V., 209 | White, D.A., 125 |
| Galán, B., 237 | Kunzru, D., 47 | Ronze, D., 85 | Wijn, E.F., 143 |
| Ghosh, P., 15, 25 | | | |
| Giona, M., 157 | Langrish, T.A.G., 221 | San Román, F., 237 | Zhou, J., 9 |
| | Loh, K.C., 9 | Saraf, D.N., 25 | Zoulalian, A., 85 |



Subject Index of Volume 70

- Absorption
 - on the lower operating range of sieve and valve trays, 143
- Aerodynamics
 - aerodynamics of a novel rotating jet spouted bed, 209
- Agitated tank
 - scaling of turbulence characteristics in a turbine-agitated tank in relation to agitation rate, 37
- Agitation rate
 - scaling of turbulence characteristics in a turbine-agitated tank in relation to agitation rate, 37
- Anemometry measurements
 - scaling of turbulence characteristics in a turbine-agitated tank in relation to agitation rate, 37
- Application
 - prediction of vapor–liquid equilibria of binary systems using PRSV equation of state and Wong–Sandler mixing rules, 15
- Aqueous solution
 - reduction of nitrous acid through an aqueous solution of urea or sulfamic acid for the treatment of NO_x in a flue gas, 85
- ASRs
 - pyrolysis of automotive shredder residues: a lumped kinetic characterization, 157
- Batch polymerization reactor
 - control of batch suspension polymerization reactor, 1
- Bubble column
 - local hydrodynamics in a gas–liquid–solid three-phase bubble column reactor, 81
- Bubble columns
 - fluid dynamics of bubble columns at elevated temperature modelling and investigation with refractive fiber optic sensors, 105
- Bulk-liquid reaction
 - on the bulk-liquid reaction in isothermal reactive gas absorption, 65
- Cadmium (Cd)
 - viability of the separation of Cd from highly concentrated Ni–Cd mixtures by non-dispersive solvent extraction, 237
- Calcium aluminate
 - catalytic pyrolysis of methylcyclohexane: kinetics and modeling, 47
- Catalytic pyrolysis
 - catalytic pyrolysis of methylcyclohexane: kinetics and modeling, 47
- Circulation flux of solid
 - liquid dispersion in gas–liquid–solid circulating fluidized beds, 9
- Citric acid monohydrate
 - primary nucleation of citric acid monohydrate: influence of selected impurities, 197
 - size dependency of citric acid monohydrate growth kinetics, 203
- Concentration
 - theoretical study of adsorptive parametric pumping and temperature swing chromatography with flow reversal, 71
- Cooling crystallization
 - modelling of crystalline layer growth using kinetic data obtained from suspension crystallization, 55
- Crystalline layer
 - modelling of crystalline layer growth using kinetic data obtained from suspension crystallization, 55
- Cubic equation of state
 - prediction of vapor–liquid equilibria of binary systems using PRSV equation of state and Wong–Sandler mixing rules, 15
- DGM
 - dynamics of pressure build-up accompanying multicomponent gas transport in porous solids: inert gases, 189
- Distillation
 - on the lower operating range of sieve and valve trays, 143
- Dumping
 - on the lower operating range of sieve and valve trays, 143
- Dye
 - sorption of dye from aqueous solution by peat, 115
- Dynamic transport
 - dynamics of pressure build-up accompanying multicomponent gas transport in porous solids: inert gases, 189
- Emulsion
 - scaling of viscoelastic properties of emulsions, 173
- Excess functions
 - prediction of vapor–liquid equilibria of binary systems using PRSV equation of state and Wong–Sandler mixing rules, 15
- Flow regimes
 - aerodynamics of a novel rotating jet spouted bed, 209
- Flowsheeting
 - the controllability assessment of flowsheeting options involving parallel-flow dryers, 221
- Flue gas
 - reduction of nitrous acid through an aqueous solution of urea or sulfamic acid for the treatment of NO_x in a flue gas, 85
- Fluid dynamics
 - fluid dynamics of bubble columns at elevated temperature modelling and investigation with refractive fiber optic sensors, 105
- Food chain
 - stability characteristics of a biochemical reactor with predator–prey relationship: a substrate inhibition case, 179
- Fouling
 - modelling of crystalline layer growth using kinetic data obtained from suspension crystallization, 55
- Gas–liquid–solid fluidization
 - liquid dispersion in gas–liquid–solid circulating fluidized beds, 9
- Gas velocity
 - liquid dispersion in gas–liquid–solid circulating fluidized beds, 9
- Growth
 - modelling of crystalline layer growth using kinetic data obtained from suspension crystallization, 55
- Growth kinetics
 - size dependency of citric acid monohydrate growth kinetics, 203

- Hatta number
on the bulk-liquid reaction in isothermal reactive gas absorption, 65
- Heat exchange surface
modelling of crystalline layer growth using kinetic data obtained from suspension crystallization, 55
- Hydrodynamics
local hydrodynamics in a gas-liquid-solid three-phase bubble column reactor, 81
- Impurities
primary nucleation of citric acid monohydrate: influence of selected impurities, 197
- Industrial wastes
pyrolysis of automotive shredder residues: a lumped kinetic characterization, 157
- Ion exchange
ion exchange modules formed from polyhipe foam precursors, 133
- Kenics static mixer
Reynolds number effects on laminar mixing in the Kenics static mixer, 93
- Kinetics
catalytic pyrolysis of methylcyclohexane: kinetics and modeling, 47
modelling of crystalline layer growth using kinetic data obtained from suspension crystallization, 55
sorption of dye from aqueous solution by peat, 115
- Laminar flow
Reynolds number effects on laminar mixing in the Kenics static mixer, 93
- Liquid velocity
liquid dispersion in gas-liquid-solid circulating fluidized beds, 9
- Local energy dissipation rate
scaling of turbulence characteristics in a turbine-agitated tank in relation to agitation rate, 37
- Lumped kinetic models
pyrolysis of automotive shredder residues: a lumped kinetic characterization, 157
- Maize starch paste
experimental and modelling studies of the flow properties of maize and waxy maize starch pastes, 165
- Membrane microfiltration
simulation and optimisation of intermittent membrane microfiltration, 125
- Methylcyclohexane
catalytic pyrolysis of methylcyclohexane: kinetics and modeling, 47
- Minimum spouting velocity
aerodynamics of a novel rotating jet spouted bed, 209
- Mixing performance
Reynolds number effects on laminar mixing in the Kenics static mixer, 93
- Mixing rules
prediction of vapor-liquid equilibria of binary systems using PRSV equation of state and Wong-Sandler mixing rules, 15
- MMA
an experimental study on bulk and solution polymerization of methyl methacrylate with responses to step changes in temperature, 25
- Modelling
an experimental study on bulk and solution polymerization of methyl methacrylate with responses to step changes in temperature, 25
the influence of the non-irradiated surface area on the kinetics of heterogeneous photocatalytic reaction in a static reactor, 231
- Modulus
scaling of viscoelastic properties of emulsions, 173
- MTPM
dynamics of pressure build-up accompanying multicomponent gas transport in porous solids: inert gases, 189
- Multicomponent
dynamics of pressure build-up accompanying multicomponent gas transport in porous solids: inert gases, 189
- Nickel (Ni)
viability of the separation of Cd from highly concentrated Ni-Cd mixtures by non-dispersive solvent extraction, 237
- Nitrous acid
reduction of nitrous acid through an aqueous solution of urea or sulfamic acid for the treatment of NO_x in a flue gas, 85
- Non-dispersive solvent extraction
viability of the separation of Cd from highly concentrated Ni-Cd mixtures by non-dispersive solvent extraction, 237
- Non-irradiated photocatalyst surface area
the influence of the non-irradiated surface area on the kinetics of heterogeneous photocatalytic reaction in a static reactor, 231
- NO_x
reduction of nitrous acid through an aqueous solution of urea or sulfamic acid for the treatment of NO_x in a flue gas, 85
- Nucleation
modelling of crystalline layer growth using kinetic data obtained from suspension crystallization, 55
primary nucleation of citric acid monohydrate: influence of selected impurities, 197
- Optimization
prediction of vapor-liquid equilibria of binary systems using PRSV equation of state and Wong-Sandler mixing rules, 15
an experimental study on bulk and solution polymerization of methyl methacrylate with responses to step changes in temperature, 25
simulation and optimisation of intermittent membrane microfiltration, 125
- Parallel-flow dryers
the controllability assessment of flowsheeting options involving parallel-flow dryers, 221
- Parametric pumping
theoretical study of adsorptive parametric pumping and temperature swing chromatography with flow reversal, 71
- Peat
sorption of dye from aqueous solution by peat, 115
- Photocatalytic oxidation
the influence of the non-irradiated surface area on the kinetics of heterogeneous photocatalytic reaction in a static reactor, 231
- Poincaré sections
Reynolds number effects on laminar mixing in the Kenics static mixer, 93
- Polyhipe
ion exchange modules formed from polyhipe foam precursors, 133
- Polymerization
an experimental study on bulk and solution polymerization of methyl methacrylate with responses to step changes in temperature, 25
ion exchange modules formed from polyhipe foam precursors, 133
- Predator-prey relationship
stability characteristics of a biochemical reactor with predator-prey relationship: a substrate inhibition case, 179
- Pressure drop
aerodynamics of a novel rotating jet spouted bed, 209
- Purity
theoretical study of adsorptive parametric pumping and temperature swing chromatography with flow reversal, 71
- Pyrolysis
pyrolysis of automotive shredder residues: a lumped kinetic characterization, 157

- Pyrolysis modeling
catalytic pyrolysis of methylcyclohexane: kinetics and modeling, 47
- Reactive gas absorption
on the bulk-liquid reaction in isothermal reactive gas absorption, 65
- Refractive fiber optic sensors
fluid dynamics of bubble columns at elevated temperature modelling and investigation with refractive fiber optic sensors, 105
- Relative Gain Arrays
the controllability assessment of flowsheeting options involving parallel-flow dryers, 221
- Reynolds numbers
Reynolds number effects on laminar mixing in the Kenics static mixer, 93
- Rheological characterization
experimental and modelling studies of the flow properties of maize and waxy maize starch pastes, 165
- Rheological modelling
experimental and modelling studies of the flow properties of maize and waxy maize starch pastes, 165
- Rheology
scaling of viscoelastic properties of emulsions, 173
- Rheology of starch paste
experimental and modelling studies of the flow properties of maize and waxy maize starch pastes, 165
- Rotating spouted bed
aerodynamics of a novel rotating jet spouted bed, 209
- Scale-up
scaling of turbulence characteristics in a turbine-agitated tank in relation to agitation rate, 37
- Scaling
scaling of viscoelastic properties of emulsions, 173
- Seal point
on the lower operating range of sieve and valve trays, 143
- Self-tuning controller
control of batch suspension polymerization reactor, 1
- Sieve tray
on the lower operating range of sieve and valve trays, 143
- Simulation
simulation and optimisation of intermittent membrane microfiltration, 125
- Size dependency
size dependency of citric acid monohydrate growth kinetics, 203
- Sorption
sorption of dye from aqueous solution by peat, 115
- Spouted bed
aerodynamics of a novel rotating jet spouted bed, 209
- Static reactor
the influence of the non-irradiated surface area on the kinetics of heterogeneous photocatalytic reaction in a static reactor, 231
- Substrate inhibition
stability characteristics of a biochemical reactor with predator-prey relationshipA substrate inhibition case, 179
- Sulfamic acid
reduction of nitrous acid through an aqueous solution of urea or sulfamic acid for the treatment of NO_x in a flue gas, 85
- Sulphonation
ion exchange modules formed from polyhipe foam precursors, 133
- Suspension polymerization
control of batch suspension polymerization reactor, 1
- Theory
prediction of vapor-liquid equilibria of binary systems using PRSV equation of state and Wong-Sandler mixing rules, 15
- Thermal treatment
pyrolysis of automotive shredder residues: a lumped kinetic characterization, 157
- Three-phase fluidization
local hydrodynamics in a gas-liquid-solid three-phase bubble column reactor, 81
- Transport parameters
dynamics of pressure build-up accompanying multicomponent gas transport in porous solids: inert gases, 189
- Turbulence
scaling of turbulence characteristics in a turbine-agitated tank in relation to agitation rate, 37
- Valve tray
on the lower operating range of sieve and valve trays, 143
- Viscoelasticity
scaling of viscoelastic properties of emulsions, 173
- Waxy maize starch paste
experimental and modelling studies of the flow properties of maize and waxy maize starch pastes, 165
- Weeping
on the lower operating range of sieve and valve trays, 143
- Weep point
on the lower operating range of sieve and valve trays, 143



